

FIG. 1

10000293 030403




FIG. 2




FIG. 3




FIG. 4




FIG. 5

204060-EE206001




FIG. 6




FIG. 7

Fig. 1 is a perspective view of the device 5. It features a base 36 and a vertical member 37. The base 36 is a rectangular block with a curved top surface. The vertical member 37 is a long, thin rod that extends upwards from the base. The device 5 is shown in a perspective view, with the base 36 in the foreground and the vertical member 37 extending towards the background.

FIG. 8




FIG. 9

2040ED-EB20600F




FIG. 10




FIG. 11




FIG. 12

10090293.030403




FIG. 13

204020-66205001




FIG. 14




FIG. 15




FIG. 16

201050-66206000




FIG. 17

FIG. 18




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22

204000-662000T




FIG. 24




FIG. 25

20460-65206001




FIG. 26

FIG. 27




FIG. 27




FIG. 28

20240207 16:20:00




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37

2010 2015 2041




FIG. 38




FIG. 39




FIG. 40




FIG. 41

2040ED E620600T




FIG. 42




FIG. 43




FIG. 44

FIG. 46




FIG. 46





FIG. 47

FIG. 14



2010

FIG. 14




FIG. 49

204959-030400




FIG. 50





FIG. 51



2800

FIG. 52

Flg. 53

